

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L1 | 1 | stub with parameter near2 list same (remote near3 (procedure method) rpc rmi) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L2 | 77 | protocol with (conver\$8 or translat\$3) with (intermedia\$8) adj protocol | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L3 | 4 | (uno java xpcor) with (bridge) with (universal generic) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L4 | 2 | java with intermediate with (bridge proxy stub) | USPAT | OR | ON | 2008/01/16 11:13 |
| L5 | 329 | (application software program) with (mediat\$3) with protocol | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L6 | 93 | (convert\$3 conversion translat\$3 decod\$3 encod\$3) with (orb stub proxy) same (marshal\$4 unmarshalling) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L7 | 1055 | (719/315).CCLS. | US-PGPUB; USPAT | OR | OFF | 2008/01/16 11:13 |
| L8 | 126 | (xpcor uno java) same (intermed\$6 bridge) same (proxy stub) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L9 | 5 | (conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format)) and remote adj (method or procedure) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L10 | 7 | (intermediary universal generic) adj (protocol format) same (translat\$3 conversion convert\$4 marshal\$4 unmarshal\$4) same proxy | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L11 | 12 | stub same parameter near2 (structure list) same (remote near3 (procedure method) rpc rmi) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L12 | 35 | java with (com or xpcor or dcom or dom) with bridge | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L13 | 5 | (xpcor uno java) same (intermed\$6 bridge) same (proxy stub handler) near5 (language) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L14 | 376 | protocol with (conver\$8 or translat\$3) with first with second with third | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |

EAST Search History

| | | | | | | |
|-----|----|--|--|----|----|------------------|
| L15 | 1 | intermediary adj protocol with proxy | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L16 | 8 | (xpcom uno java) same (intermed\$6 bridge) same (proxy stub handler) near2 (protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L17 | 5 | (conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format)) and remote adj (method or procedure or call or request or message) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L18 | 0 | (xpcom uno java) same (intermed\$6 bridge) same (proxy stub) near2 (protocol) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L19 | 3 | (intermediary universal generic) adj protocol same (translat\$3 conversion convert\$4 marshal\$4 unmarshal\$4) same proxy | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L20 | 2 | protocol with (conver\$8 or translat\$3) with (intermedia\$8) adj protocol and (remote adj (method or procedure or call)) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L21 | 52 | (rpc remote adj procedure rmi) same (proxy stub) same ("asn.1" datagram tcp udp) same (convert\$3 translat\$3 marshal\$4 unmarshal\$4 encod\$3 decod\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L22 | 5 | (conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format)) and remote adj (method or procedure or call or request) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L23 | 3 | java same uno same (convert\$3 conversion translat\$3 marshal\$4 unmarshalling decod\$3 encod\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L24 | 5 | stub same parameter near2 list same (remote near3 (procedure method) rpc rmi) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L25 | 0 | (xpcom uno) same (java) same (intermed\$6 universal) with bridge | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L26 | 55 | protocol with (conver\$8 or translat\$3) same first adj protocol same second adj protocol same third adj protocol | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L27 | 5 | (conver\$8 or translat\$3) same ((first and second and third) adj (protocol or format)) and remote adj (method or procedure or call) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|-----|------------------|
| L28 | 47 | parameter near2 (structure list) with (remote near3 (procedure method) rpc rmi) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L29 | 3 | java same uno same protocol same (convert\$3 conversion transl\$3 marshal\$4 unmarshalling decod\$3 encod\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L30 | 4 | (xpcorn uno) same (remote adj2 (method procedure)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L31 | 7 | (xpcorn uno java) same (intermed\$6 bridge) same (proxy stub) same (remote adj2 (method procedure function) rpc rmi) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L32 | 10 | (conver\$8 or transl\$3) same (universal or global) near protocol and remote adj (method or procedure or call or request or message) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L33 | 614 | (719/316).CCLS. | US-PGPUB; USPAT | OR | OFF | 2008/01/16 11:13 |
| L34 | 31 | (application software program) with (mediat\$3) with protocol with (convert\$3 conversion transl\$3 encod\$3 decod\$3) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L35 | 84 | (uno java xpcorn) with (bridge) same (convert\$3 conversion transl\$3 map mapping) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L36 | 11 | (conver\$8 or transl\$3) same (universal or global) near (protocol or bridge or wrapper or proxy) and remote adj (method or procedure or call or request or message) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L37 | 248 | (conver\$8 or transl\$3) same ((first and second and third) adj (protocol or format)) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L38 | 537 | (719/330).CCLS. | US-PGPUB; USPAT | OR | OFF | 2008/01/16 11:13 |
| L39 | 16 | (conver\$8 or transl\$3) same (universal or global or (platform near independent)) near (protocol or bridge or wrapper or proxy) and remote adj (method or procedure or call or request or message) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L40 | 82 | (conver\$8 or transl\$3) same ((multi or multiple) adj (protocol or format)) and remote adj (method or procedure) | US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L41 | 44 | (intermediary universal generic common) adj (protocol format) same (translat\$3 conversion convert\$4 marshal\$4 unmarshal\$4) same proxy | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |

EAST Search History

| | | | | | | |
|------|------|---|--|----|----|------------------|
| L42 | 24 | (convert\$3 conversion translat\$3 decod\$3 encod\$3) with proxy same (marshal\$4 unmarshalling) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| L43 | 71 | java with (convert\$3 conversion translat\$3 marshal\$4 unmarshalling decod\$3 encod\$3) with proxy | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/16 11:13 |
| S190 | 0 | (rpc rmi remote adj (procedure method)) same stack with slice | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 09:44 |
| S191 | 3 | (rpc rmi remote adj (procedure method)) and stack with slice | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 09:45 |
| S192 | 1111 | stack with slice | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 09:45 |
| S193 | 194 | stack adj2 slice | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 09:59 |
| S194 | 2 | stack adj2 slice with call\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 09:46 |
| S195 | 1 | bcicall | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 09:53 |
| S196 | 2 | bci with (orb stub marshal\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 09:54 |
| S197 | 32 | bci\$4 with (orb stub marshal\$4) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 09:54 |
| S198 | 10 | stack adj2 slice same call\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 10:00 |
| S199 | 96 | stack with call\$3 with (rpc rmi orb remote adj (method procedure)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 10:00 |

EAST Search History

| | | | | | | |
|------|----|---------------------------|--|----|----|------------------|
| S200 | 69 | S199 and @ad < "20010525" | US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/15 10:01 |
|------|----|---------------------------|--|----|----|------------------|